



Texas Water Development Board Groundwater Database Reports



Record of Wells

County: Hardeman

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1325401		343232	995817				UNKNOWN	1620		N	S	
1325402		343230	995831				110QWSD	1659				
	Vaughan Springs											
1325501		343350	995649		133		313BLIN	1620	1 measurement 1969 -68.6	P	W	S
1325701	H.W. Trelinder	343106	995853		120		110ALVM	1736	1 measurement 1969 -103.3	J	E	H
1325702	H. W. Trelinder	343114	995757		88		110ALVM	1710	1 measurement 1969 -65.4	P	W	S
1325801	L.L. Montgomery	343037	995659	00/00/1964	290		110ALVM	1785	1 measurement 1969 -120	S	E	I
1325901	Little	343127	995334		100		313BLIN	1602	18 measurements 1956 to 1974 MIN -97.55 MAX -71.02	N	U	Abandoned irrigation well.
1325902	W. Williams	343018	995404	00/00/1965	250		313BLIN	1598	41 measurements 1969 to 2012 MIN -130.33 MAX -87.4	S	E	S
1325903	M. Watson	343208	995336	00/00/1950	60		110ALVM	1570	1 measurement 1969 -41.4	P	W	U

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
									T N I	P W S		
1325904	M. Watson	343020	995354	00/00/1965	180		313BLIN	1598		T N I		
1333101	F. Lindsey Est.	342933	995823		230		313BLIN	1813	3 measurements 1956 to 1958 MIN -181.74 MAX -175.63	P W S		Field conductance 2,200.
1333102	F. Lindsey Est.	342931	995737		195		313BLIN	1781	55 measurements 1956 to 2012 MIN -180.37 MAX -128.4	P W U		Field conductance 2800. Observation well.
1333103	F. Lindsey Est.	342927	995934		210		313BLIN	1765	1 measurement 1969 -75.8	P W S		
1333201	Johnny Horton	342814	995513	00/00/1943	200		313BLIN	1637	1 measurement 1969 -91.8	U	N	
1333202	Johnny Horton	342812	995517	01/25/1988	210		313BLIN	1637	1 measurement 1988 -93	S E S		Reported yield 6 GPM with 112 feet drawdown after pumping 1 hour in 1988. Specific capacity 0.05 GPM/ft.
1333301	R. Tabor	342756	995238	00/00/1955	145		313BLIN	1572	15 measurements 1956 to 1972 MIN -88.97 MAX -75.25	T N I		
1333302	Williams Ranch	342813	995344		140		313BLIN	1582	1 measurement 1969 -97.5	P W S		Field conductance 3000.
1333303	Williams Ranch	342915	995339		152		313BLIN	1612	1 measurement 1969 -128	P W S		
1333401	L. Trosper	342652	995803				313BLIN	1665	32 measurements 1956 to 1990 MIN -101.39 MAX -68.49	P W S		No source for well depth. Listed as 93 feet but there are 11 water levels that measure deeper than 93 feet. Deleted well depth.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1333402	J. Hacker	342628	995901	00/00/1955	270		313BLIN	1666	9 measurements 1956 to 1983 MIN -146.86 MAX -70.81			T	N	I
1333403	Joe Sharp	342602	995924	00/00/1955	230		313BLIN	1677	55 measurements 1956 to 2012 MIN -135.82 MAX -66.95			S	E	S
1333404	J. F. Harrell	342536	995915		250		313BLIN	1661	1 measurement 1969 -111			T	N	I
1333405	K. McSpadden	342516	995902	00/00/1957	200		313BLIN	1649				T	N	U
1333406	K. McSpadden	342530	995901	00/00/1955	300		313BLIN	1654	1 measurement 1955 -90			T	N	I
1333407	K. McSpadden	342545	995901	00/00/1960	300		313BLIN	1653	1 measurement 1960 -90			T	N	I
1333408	K. McSpadden	342556	995900	00/00/1955	275		313BLIN	1657	1 measurement 1957 -90			T	N	I
1333409	K. McSpadden	342545	995837	00/00/1956	300		313BLIN	1652	1 measurement 1956 -100			T	N	I
1333410	T. Coklendother	342558	995755	00/00/1957	230		313BLIN	1633	1 measurement 1969 -100.4			T	N	I
1333501	R. Hines	342604	995654		200		313BLIN	1628	49 measurements 1957 to 2012 MIN -110.39 MAX -55.44			S	E	U

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1333502	R. Hines	342556	995716		205		313BLIN	1652	1 measurement 1968 -101.7			T	N	I
1333503	R. Hines	342541	995654		200		313BLIN	1618	1 measurement 1969 -124.7			T	N	I
1333504	R. Hines	342527	995654		200		313BLIN	1613				T	N	I
1333505	R. Hines	342515	995634		200		313BLIN	1608	1 measurement 1969 -115.7			T	N	I
1333506	J. Baker	342507	995519	00/00/1966	240		313BLIN	1567	1 measurement 1969 -80.2			T	N	I
1333601	M. Watson	342605	995411		200		313BLIN	1597	5 measurements 1954 to 1958 MIN -88.54 MAX -78.91			N	G	Well destroyed Dec. 4, 1969.
1333602	M. Watson	342548	995408	00/00/1952	115		313BLIN	1590	35 measurements 1953 to 1990 MIN -103.55 MAX -75.32			I		
1333603	M. Watson	342546	995400	00/00/1945	200		313BLIN	1586	19 measurements 1956 to 1975 MIN -104.92 MAX -71.35			N	U	
1333604	M. Watson	342519	995353	00/00/1955	225		313BLIN	1570	1 measurement 1969 -81.1			T	N	I
1333605	W. Smith	342511	995305		200		313BLIN	1590				T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1333701	D. McSpadden	342308	995937	00/00/1953	180		313BLIN	1622	1 measurement 1960 -61.1	T	N	I
1333702	W. Tabor	342252	995803	00/00/1956	200		313BLIN	1580	6 measurements 1964 to 1969 MIN -89.9 MAX -40.39	T	N	I
1333703	W. Tabor	342250	995751	00/00/1957	200		313BLIN	1580	1 measurement 1969 -74.4	T	N	I
1333704	W. Tabor	342310	995745	00/00/1960	200		313BLIN	1582	1 measurement 1969 -76.6	T	N	I
1333705	W. Tabor	342323	995820	00/00/1960	200		313BLIN	1592	1 measurement 1969 -80	T	N	I
1333706	W. Tabor	342328	995837	00/00/1960	200		313BLIN	1582	1 measurement 1969 -87.6	T	N	I
1333707	W. Tabor	342300	995841	00/00/1965	200		313BLIN	1589	1 measurement 1969 -70.2	T	N	I
1333708	W. Tabor	342230	995821	00/00/1962	200		313BLIN	1592	1 measurement 1969 -86.6	T	N	I
1333709	R. Nippert	342258	995909	00/00/1954	245		313BLIN	1593	1 measurement 1969 -82.5	T	N	I
1333710	R. Nippert	342328	995907	00/00/1964	205		313BLIN	1591		T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1333711	R. Nippert	342330	995857	00/00/1962	210		313BLIN	1591	1 measurement 1969 -81	T	N	I
1333712	R. Nippert	342232	995917	00/00/1968	210		313BLIN	1618		T	N	I
1333713	B. King	342424	995759	00/00/1948	250		313BLIN	1608		T	N	I
1333714	P. Conant	342422	995816		250		313BLIN	1632		T	N	I
1333715	G. Reed	342459	995813	00/00/1963	180		313BLIN	1612		T	N	I
1333716	K. McSpadden	342415	995943		200		313BLIN	1604	1 measurement 1969 -80	T	N	I
1333717	K. McSpadden	342402	995943		200		313BLIN	1605	1 measurement 1969 -80.4	T	N	I
1333718	H. E. Sharp	342448	995942		224		313BLIN	1614	1 measurement 1969 -84.7	T	N	I
1333719	J. W. Tabor	342349	995756	00/00/1963	225		313BLIN	1625	1 measurement 1969 -117.8	T	N	I
1333801	W. Tabor	342252	995730	00/00/1956	200		313BLIN	1570	1 measurement 1969 -71.9	T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1333802	W. Tabor	342309	995707	00/00/1956	200		313BLIN	1572	1 measurement 1969 -68.1	T	N	I
1333803	W. Tabor	342253	995715	00/00/1956	200		313BLIN	1578	1 measurement 1969 -70.3	T	N	I
1333804	W. Tabor	342327	995649	00/00/1956	200		313BLIN	1569	1 measurement 1969 -70.7	T	N	I
1333805	W. Tabor	342305	995645	00/00/1956	200		313BLIN	1572	1 measurement 1969 -78	T	N	I
1333806	J. H. King	342436	995729	00/00/1953	250		313BLIN	1591	1 measurement 1969 -84.7	T	N	I
1333807	C. Vestal	342357	995528	00/00/1950	96		313BLIN	1565	1 measurement 1969 -54.8	T	G	I
1333808	C. Vestal	342405	995528	00/00/1950	250		313BLIN	1568	1 measurement 1969 -89.1	T	G	I
1333809	C. Vestal	342410	995528	00/00/1950	235		313BLIN	1568	1 measurement 1969 -74.6	T	G	I
1333901	J. W. Tabor	342410	995338		150		313BLIN	1558	8 measurements 1956 to 1964 MIN -49.17 MAX -38.49	T	N	I
1333902	I. Smith	342333	995331		130		313BLIN	1566	27 measurements 1956 to 1983 MIN -42.7 MAX -20.3	T	G	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1333903	W. Goodman	342400	995256	00/00/1952	160		313BLIN	1540	1 measurement 1952 -35			S	E	S
1333904	C. Vestal	342402	995500	00/00/1950	200		313BLIN	1558	1 measurement 1969 -81			T	G	I
1333905	C. Vestal	342407	995459	00/00/1950	168		313BLIN	1558	1 measurement 1969 -79.8			T	G	I
1333906	H. Wells	342456	995331		150		313BLIN	1562	1 measurement 1969 -50.8			T	N	I
1334101	H. Poole	342855	995230	00/00/1964	250		313BLIN	1563				T	N	I
1334102	R. M. Wells	342949	995105		86		110ALVM	1570	1 measurement 1969 -71.5			P	W	H
1334103	A. A. Lindsey	342804	995105		140		313BLIN	1575	1 measurement 1969 -111.5			P	W	H
1334104	Brooks Springs	342930	995131				110QWSD	1575						
1334201	Windberry Est.	342756	994929	00/00/1953	147		313BLIN	1541				N		U
1334202	Windberry Est.	342806	994947	00/00/1966	90		313BLIN	1540	1 measurement 1969 -63.1			P	E	H

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1334401	B. Hunter	342536	995038		158		313BLIN	1560				T	U	
1334402	H. Becknell	342604	995026	00/00/1956	150		313BLIN	1583	1 measurement 1969 -99.4			T	N	I
1334403	A. Cunningham	342534	995011	00/00/1951	65		313BLIN	1575				T	N	I
1334404	A. Cunningham	342526	995010	00/00/1951	65		313BLIN	1570				T	N	I
1334405	H. Becknell	342600	995032	00/00/1957	150		313BLIN	1583				T	N	I
1334406	B. Hunter	342531	995044		150		313BLIN	1558				T	U	
1334407	S. P. Robertson	342608	995122		130		313BLIN	1580	1 measurement 1969 -92.8			T	N	I
1334408	S. P. Robertson	342631	995059	00/00/1960	130		313BLIN	1562	1 measurement 1969 -74.6			T	N	I
1334409	S. P. Robertson	342635	995144		130		313BLIN	1560	1 measurement 1969 -71.9			T	N	I
1334410	S. P. Robertson	342708	995157		130		313BLIN	1570	1 measurement 1969 -105			T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1334411	S. P. Robertson	342700	995134		130		313BLIN	1560	1 measurement 1969 -89.5	T	N	I
1334501	J. Hunter	342505	994934	00/00/1953	150		313BLIN	1548		T	N	I
1334502	J. Hunter	342504	994928	00/00/1960	150		313BLIN	1552		T	N	I
1334503	R. Smith	342504	994924	00/00/1956	190		313BLIN	1554		T		I
1334504	H. Kubicek	342528	994825	00/00/1955	120		313BLIN	1548		T	N	I
1334505	H. Kubicek	342534	994738	00/00/1960	132		313BLIN	1521	1 measurement 1969 -45.4	T	N	I
1334506	H. Becknell	342601	994957	00/00/1957	150		313BLIN	1588		T	N	I
1334507	H. becknell	342608	994957	00/00/1957	150		313BLIN	1589		T	N	I
1334508	H. Becknell	342656	994831	00/00/1957	114		110ALVM	1572	1 measurement 1969 -45.1	T	N	I
1334601	B. Conley	342504	994559	00/00/1954	108		110ALVM	1510		U		Well reported to yield 120 gpm.
1334602	W. Mosely	342508	994603	00/00/1959	100		110ALVM	1511	1 measurement 1969 -59	N		U

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1334603	J. Conley	342504	994547	00/00/1965	115		110ALVM	1509	1 measurement 1969 -55.1	T	E	I
1334604	J. Conley	342504	994557	00/00/1958	120		110ALVM	1510		T	N	I
1334605	W. Mosely	342527	994610	00/00/1966	100		110ALVM	1509		T	E	I
1334701	J. Robertson	342442	995223	00/00/1955	193		313BLIN	1571	1 measurement 1969 -112	T	N	I
1334702	J. Rhine	342448	995004		180		313BLIN	1542	1 measurement 1969 -68.6	T	N	I
1334703	J. Rine	342348	995018	00/00/1963	180		110ALVM	1515	1 measurement 1969 -36.6	T	N	I
1334704	L. Powell	342320	995030	00/00/1957	176		313BLIN	1542		T	E	I
1334705	F. Word	342454	995113		180		313BLIN	1549		T	N	I
1334801	J. Hunter	342423	994931	00/00/1948	126		313BLIN	1522	8 measurements 1953 to 1963 MIN -39.94 MAX -37.25	T	N	I
1334802	J. Hunter	342417	994931	00/00/1953	110		313BLIN	1520	53 measurements 1954 to 2007 MIN -53.4 MAX -31.1	T	U	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1334803	J. Hunter	342412	994857		100		313BLIN	1525	21 measurements 1955 to 1975 MIN -47.87 MAX -33.84			T	N	I
1334807	B. Conley	342338	994958		174		313BLIN	1520				T	N	I
1334808	J. Hurst	342455	994921	00/00/1963	110		313BLIN	1549				T	N	I
1334809	J. Hunter	342449	994954	00/00/1957	150		313BLIN	1538				T	N	I
1334810	L. Powell	342329	994954	00/00/1965	150		313BLIN	1522	1 measurement 1969 -51.3			T	N	I
1334811	J. Hunter	342408	994850	00/00/1953	100		313BLIN	1528	1 measurement 1969 -48.1			T	E	I
1334812	J. Hunter	342457	994928	00/00/1959	150		313BLIN	1548				T	N	I
1334813	Q. Wilson	342433	994937	00/00/1955	110		313BLIN	1523				T	N	I
1334814		342300	994826				313BLIN	1450				N	S	
1334901	J. Hurst	342410	994624	00/00/1963	120		110ALVM	1528				T	N	I
1334902	J. Hurst	342406	994623	00/00/1963	120		110ALVM	1531				T	N	U
									Not used in 1967 and 1968.					
									Not used in 1967 and 1968.					

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1334903	B. Nowell	342410	994618	00/00/1957	110		110ALVM	1528	1 measurement 1969 -58.7	T	N	I
1334904	Foster Brothers	342428	994622	00/00/1955	105		110ALVM	1526	1 measurement 1969 -59.6	T	N	U Not used in 1967 or 1968.
1334905	Foster Brothers	342430	994615	00/00/1964	137		110ALVM	1525	14 measurements 1975 to 1991 MIN -60.72 MAX -54.15	S	E	U Not used in 1967 or 1968.
1334906	Medley	342408	994721	00/00/1956	85		110ALVM	1549	1 measurement 1969 -64.9	N	U	
1334907	Medley	342431	994724	00/00/1956	85		110ALVM	1540	1 measurement 1969 -66	N	U	
1334908	Medley	342414	994721	00/00/1956	70		100ALVM	1547		N	U	
1334909	Medley	342421	994722	00/00/1956	110		110ALVM	1544	1 measurement 1969 -68.2	N	U	
1334910	Medley	342427	994722	00/00/1956	110		110ALVM	1541	1 measurement 1969 -60	N	U	
1334911	J. Conley	342447	994550	00/00/1955	135		110ALVM	1514	1 measurement 1969 -65.5	T	N	I
1334912	Stanley Watson	342437	994529	00/00/1957	90	C 10	110ALVM	1504	3 measurements 2010 to 2012 MIN -57.62 MAX -48.59	S	E	S Not used in 1967 and 1968. Old irrigation well. Given permission to measure by owner on 12/7/2010.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks	
1334913	M. Watson	342445	994521	00/00/1957	90		110ALVM	1497	1 measurement 1969 -46.8			T	E	I	Not used in 1967 and 1968.
1334914	F. Dennis	342310	994558	00/00/1968	90		110ALVM	1527	1 measurement 1968 -45			S	E	I	
1334915	F. Dennis	342313	994608	00/00/1963	115		110ALVM	1522	1 measurement 1969 -54.2			T	N	I	Not used in 1967 and 1968.
1334916	F. Dennis	342348	994558	00/00/1965	90		110ALVM	1527				S	E	I	
1334917	F. Dennis	342332	994533	00/00/1961	115		110ALVM	1519	1 measurement 1969 -62.3			T	N	I	
1335701	Franklin Moore	342413	994432		78		110ALVM	1490	23 measurements 1969 to 1997 MIN -62.68 MAX -50.34			T	U	Historical observation well.	
1335702		342239	994411		102		110ALVM	1541	1 measurement 1969 -76.1			T	E	I	
1336801	City of Quanah, Well #1	342241	993459	00/00/1930	89		110ALVM	1440	2 measurements 1930 to 1968 MIN -32 MAX -11			U		Abandoned.	
1336802	City of Quanah, Well #2	342249	993459	00/00/1930	95		110ALVM	1440	1 measurement 1930 -16			U		Abandoned.	
1336803	City of Quanah, Well #3	342249	993459	00/00/1930	100		110ALVM	1440	1 measurement 1930 -15			U		Abandoned.	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1336804	B. B. Thrash	342256	993409	00/00/1956	56		110ALVM	1440	1 measurement 1969 -31.2	T	N	I
1336805	Dr. Sitta	342244	993443	00/00/1940	55		110ALVM	1434	1 measurement 1969 -30	T	E	I
1336806	Dr. Sitta	342306	993422	00/00/1965	65		110ALVM	1430	1 measurement 1969 -28.5	S	E	I
1336807	E. Wofford	342233	993429		54		110ALVM	1442	1 measurement 1969 -33.8	T	E	I
1336808	B. B. Thrash	342306	993405		48		110ALVM	1432	14 measurements 1969 to 1985 MIN -31.74 MAX -23.84	T	N	I
1336809	B. B. Thrash	342303	993354		60		110ALVM	1440	1 measurement 1969 -34.8	T	N	I
1336810	Dr. Sitta	342301	993338	00/00/1954	65		110ALVM	1441	1 measurement 1969 -36.7	T	N	I
1336901	H. Reinhardt	342255	993228	00/00/1955	56		110ALVM	1479		U		Abandoned.
1336902	B. B. Thrash	342250	993029		36		110ALVM	1437	1 measurement 1969 -20.2	T	E	I
1336903	B. B. Thrash	342246	993029		31		110ALVM	1440	1 measurement 1969 -19.3	S	E	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1336904	B. B. Thrash	342239	993024		32		110ALVM	1431	1 measurement 1969 -11.5	T	E	I
1336905	M. H. Henderson	342236	993019		44		110ALVM	1450	1 measurement 1969 -30.8	T	N	I
1336906	M. H. Henderson	342234	993029		54		110ALVM	1451	1 measurement 1969 -31	T	N	I Red beds at 50 feet.
1336907	B. B. Thrash	342302	993015			UNKNOWN	1420			N	S	
1341101	W. Tabor	342213	995823	00/00/1962	200		313BLIN	1604		T	N	I
1341102	E. V. Perkins #1	342129	995926	00/00/1960	4769		NOT-APPL	1643		N	U	Oil test. Base of San Angelo Sand-Stone at 400 feet.
1341201	V. Tabor	342205	995518	00/00/1953	250		313BLIN	1610	1 measurement 1969 -118.4	T	N	I
1341202	Roger Tabor	342214	995522			313BLIN	1619		N	U	Owner reported 6/24/09 that well had caved in.	
1341301		342208	995353		130		313BLIN	1610	17 measurements 1956 to 1972 MIN -106.62 MAX -73.69	N	U	
1341302	V. Tabor	342111	995358	00/00/1953	146		313BLIN	1569	1 measurement 1953 -86	G		Well destroyed.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1341303	V. Tabor	342107	995404	00/00/1954	225		313BLIN	1567	1 measurement 1969 -109.6	T	N	I
1341304	V. Tabor	342101	995408	00/00/1953	265		313BLIN	1569	1 measurement 1969 -93	T	N	U Reported water "salty".
1341305	V. Tabor	342056	995358				313BLIN	1564		G		Well destroyed 1961.
1341306	M. E. Watson	342050	995351	00/00/1955	150		313BLIN	1571	27 measurements 1956 to 1985 MIN -80.27 MAX -52.75	T	N	U
1341307	W. Mitchell	342020	995319	00/00/1963	220		313BLIN	1562	1 measurement 1969 -83.2	T	N	I
1341308	W. Mitchell	342037	995342	00/00/1955	150		313BLIN	1582		T	N	I Not used in 1968.
1341309	W. Mitchell	342040	995316		150		313BLIN	1555	1 measurement 1969 -80	N		U
1341310	V. Tabor	342022	995248	00/00/1956	150		313BLIN	1555		T	N	I
1341311	C. Vestal	342230	995239	00/00/1958	130		313BLIN	1593		T	N	U Well not used in 1967 and 1968.
1341312	L. Morgan	342001	995455	00/00/1965	175		313BLIN	1613		S		

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1341313	Roger Tabor Jason Poole (Tenant)	342116	995416	00/00/1958	205		313BLIN	1578				T	E	I
1341402	Close Est.	341852	995950		245		313BLIN	1612	1 measurement 1960 -83.8			T	N	I
1341403	Close Est.	341827	995936		226		313BLIN	1601	1 measurement 1960 -78			T	N	I
1341404	J. Finley	341842	995735	00/00/1963	240		313BLIN	1582	1 measurement 1969 -197.7			T	N	I
1341405	R. Nippert	341752	995803	00/00/1952	200		313BLIN	1588	25 measurements 1954 to 1978 MIN -121.43 MAX -56.46			T	N	I
1341408	J. R. Dowler	341833	995918	00/00/1955	200		313BLIN	1602	1 measurement 1969 -94.2			T	N	I
1341409	R. Nippert	341756	995918	00/00/1959	200		313BLIN	1593				T	N	I
1341410	R. Nippert	341750	995827	00/00/1961	200		313BLIN	1589				T	N	I
1341411	R. Nippert	341743	995805	00/00/1961	200		313BLIN	1583				T	N	I
1341412	Hassel	341929	995948		230		313BLIN	1610	1 measurement 1969 -136.5			T	U	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks	
1341413	E. Johnson	341810	995741	00/00/1958	248		313BLIN	1589	1 measurement 1969 -118.9	T	N	I	
1341414	E. Johnson	341802	995742	00/00/1962	208		313BLIN	1580		T	N	I	
1341415	R. Nippert	341802	995920	00/00/1961	200		313BLIN	1602		T	N	I	
1341416		341736	995944				310PRMN	1608					
1341501	R. Ratliff	341934	995510	00/00/1948	266		313BLIN	1598	22 measurements 1953 to 1975 MIN -112.41 MAX -73.96	T	N	I	Well drilled to 129 feet in 1948. Deepened in 1963.
1341502	JM Finley	341848	995654	00/00/1956	150		318PRVR	1592	1 measurement 1960 -88.7		G		
1341503	J. M. Finley	341839	995701	00/00/1956	165		313BLIN	1591		U		Well abandoned 1962.	
1341504	G. Gillispie	341941	995555	00/00/1962	185		313BLIN	1579	1 measurement 1969 -111.6	T	N	I	
1341505	J. L. Finley	341900	995642	00/00/1965	240		313BLIN	1590		T		U	
1341506	E. Howard	341828	995725		180		313BLIN	1579		T	E	I	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1341601	D. Newman	341906	995428	00/00/1951	125		313BLIN	1570	12 measurements 1953 to 1995 MIN -66.91 MAX -33.7	N	U	
1341602	D. Newman	341910	995354	00/00/1952	117		313BLIN	1555	24 measurements 1953 to 1975 MIN -76.57 MAX -46.44	T	U	
1341603	R. E. Sullivan	341909	995335	00/00/1952	125		313BLIN	1552	1 measurement 1952 -65	G	Destroyed.	
1341604	R. E. Sullivan	341932	995319	00/00/1955	120		313BLIN	1569	1 measurement 1960 -69	G	Destroyed.	
1341605	R. E. Sullivan	341845	995345	00/00/1955	93		313BLIN	1553	1 measurement 1960 -61.8	G	Destroyed.	
1341606	L. Butts	341853	995346	00/00/1956	212		313BLIN	1560	1 measurement 1960 -58	T	N	I
1341607	O. H. Brandon	341915	995242	00/00/1946	110		313BLIN	1562		T	N	G Well Destroyed.
1341608	C. W. Butts	341755	995248		100		313BLIN	1548		T	E	I
1341609	C. W. Butts	341739	995238	00/00/1959	150		313BLIN	1553	1 measurement 1969 -62.2	N	U	
1341610	L. Moore	341847	995246		110		313BLIN	1546	43 measurements 1953 to 1997 MIN -64.4 MAX -33.7	T	N	U Historical observation well.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1341611	V. Sparkman	341834	995246		100		313BLIN	1542	1 measurement 1969 -49.4	T	U	
1341612	F. Barbee	341847	995254	00/00/1956	80		313BLIN	1548		T	N	I
1341613	J. Brandon	341814	995258	00/00/1963	135		313BLIN	1550	1 measurement 1969 -58.5	T	N	I
1341614	O. Brandon	341934	995246		120		313BLIN	1569		S	E	I
1341615	D. Newman	341904	995352	00/00/1965	210		313BLIN	1558		T	E	I
1341616	B. Sparkman	341833	995345	00/00/1953	120		313BLIN	1553	1 measurement 1969 -58.6	T	N	I
1341617	B. Sparkman	341827	995347	00/00/1952	120		313BLIN	1549	1 measurement 1969 -64.4	T	N	I
1341618	V. Sparkman	341812	995340	00/00/1952	120		313BLIN	1551	1 measurement 1969 -54.4	T	N	I
1341619	V. Sparkman	341804	995350	00/00/1953	120		313BLIN	1554		T	N	I
1341620	T. Barbee	341732	995456	00/00/1945	110		313BLIN	1578	1 measurement 1969 -54.4	S		

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1341621	R. C. Sullivan	341923	995325	00/00/1963	198		313BLIN	1559	1 measurement 1969 -80			T	U	
1341701	F. Gregory	341700	995926	00/00/1960	250		313BLIN	1600	24 measurements 1960 to 1985 MIN -106.14 MAX -45.05			T	N	I
1341702	A. Wilson	341645	995945	00/00/1957	204		313BLIN	1618	1 measurement 1969 -68.7			T	N	I
1341704	A. Wilson	341642	995924	00/00/1961	204		313BLIN	1610	14 measurements 1969 to 1997 MIN -143.86 MAX -67.1			T	N	U Historical observation well.
1341705	C. Lockhart	341557	995821	00/00/1965	340		313BLIN	1648	1 measurement 1969 -124			T	N	I
1341706	F. Gregory	341657	995828	00/00/1962	250		313BLIN	1604	1 measurement 1969 -110			T	N	I
1341901	S. Quisenberry	341703	995327	00/00/1955	109		313BLIN	1575				T	E	I
1341902	S. Brown	341615	995345	00/00/1958	220		313BLIN	1582				U	Abandoned.	
1341903	C. W. Butts	341615	995345	00/00/1953	133		313BLIN	1582	1 measurement 1960 -81			U	Abandoned.	
1341904	B. McDaniel	341712	995242	00/00/1963	190		313BLIN	1561	1 measurement 1969 -66.6			T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1341905	J. Quisenberry	341614	995409	00/00/1955	120		313BLIN	1592	1 measurement 1969 -82.4	T	I	
1341906	W. Davis	341727	995246	00/00/1957	100		313BLIN	1557	1 measurement 1969 -63.2	T	N	I Not used in 1968.
1341907	W. Davis	341722	995245	00/00/1962	100		313BLIN	1559		T	N	I
1341908	C. Barbee	341635	995249	00/00/1955	202		313BLIN	1586	1 measurement 1969 -85.4	T	N	I
1342101	J. Good	342107	995017	00/00/1955	125		313BLIN	1540	20 measurements 1956 to 1975 MIN -77.65 MAX -55.34	N		U
1342102	C. Haynes	342054	995135				313BLIN	1528	1 measurement 1969 -64.2	T	N	I
1342103	B. Parker	342127	995034	00/00/1954	154		313BLIN	1561		S	E	I
1342104	Jason Poole Pivot well	342009	995139		90		313BLIN	1541	1 measurement 1969 -68.6	S	E	I Pivot well.
1342105	Jason Poole Drip well	342038	995214	00/00/1956	145		313BLIN	1541		T	E	I Drip well.
1342106	W. Wilson	342022	995127	00/00/1953	150		313BLIN	1532	1 measurement 1969 -65.8	T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1342107	C. Vestal	342204	995151	00/00/1959	195		313BLIN	1572	1 measurement 1969 -123.4			T	N	I
1342108	B. Parker	342127	995024	00/00/1967	172		313BLIN	1554				S	E	I
1342109	J. Good	342011	995004	00/00/1953	100		313BLIN	1508	1 measurement 1969 -44			T	N	I
1342201	J. Good	342055	994949	00/00/1964	100		313BLIN	1508	1 measurement 1969 -46.2			T	N	I
1342202	J. Good	342108	994948	00/00/1962	100		313BLIN	1519	1 measurement 1969 -54.3			T	N	I
1342401	L. Butts	341934	995130	00/00/1944	150		313BLIN	1548	11 measurements 1954 to 1975 MIN -77.75 MAX -60.35			T	N	I
1342402	C. Butts	341938	995130	00/00/1943	100		313BLIN	1548	57 measurements 1953 to 2012 MIN -78.2 MAX -50.7			S	E	U
1342403	L. Moore	341759	995221	00/00/1953	103		313BLIN	1550	1 measurement 1953 -43			T	N	I
1342404	W. Butts	341738	995222	00/00/1963	100		313BLIN	1558	1 measurement 1969 -68.8			T	N	I
1342405	Loveless	341808	995213	00/00/1953	100		313BLIN	1544	1 measurement 1969 -71.1			T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks	
1342406	Loveless	341819	995157	00/00/1955	100		313BLIN	1537	1 measurement 1969 -47.6	T	N	I	
1342407	W. Davis	341732	995229	00/00/1955	100		313BLIN	1550	1 measurement 1969 -63.4	T	N	I	
1342408	E. Brandon	341915	995224	00/00/1950	100		313BLIN	1552	1 measurement 1969 -66.7	T	N	I	
1342409	Harginshier	341743	995217		100		313BLIN	1556	1 measurement 1969 -74.5	T	N	U	
1342410	L. Butts	341929	995108	00/00/1952	276		313BLIN	1534	1 measurement 1969 -59.4	T	N	I	Well deepened in 1967 to 276, originally 126 feet deep. Not used in 1968.
1342501	W. Griffen	341734	994742		120		313BLIN	1525		S	E	I	
1342502	W. Griffen	341732	994742		120		313BLIN	1525		S	E	I	
1342503	J. Baker	341920	994943	00/00/1967	123		313BLIN	1525	1 measurement 1969 -60.3	T	N	I	
1342504	Georgia-Pacific Corp.	341904	994921	07/15/1986	73	C 5 0 63	313BLIN	1512	1 measurement 1986 -30.5	S	E	I	Gravel packed from 10 to 73 feet.
1342601	B. Womack	341845	994615		100		313BLIN	1543		I		Well not located in 1969.	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1342602	B. Womack	341807	994600	00/00/1954	100		313BLIN	1560	1 measurement 1969 -63.2	T	E	I
1342603	R. Hamrick	341951	994524	00/00/1953	90		313BLIN	1542	1 measurement 1969 -68.9	T	E	I
1342604	Green Acres Estate	341745	994616	00/00/1989	100		313BLIN	1558		P	W	S
1342701	O. Brandon	341706	995205	00/00/1958	80		313BLIN	1560	1 measurement 1969 -65.3	T	N	I
1342702	O. Brandon	341701	995159		110		313BLIN	1555		T	N	I
1342703	N. McAdams	341524	995143				313BLIN	1572	1 measurement 1969 -57	P	W	H
1342801	V. Sparkman	341623	994837	00/00/1954	100		313BLIN	1583		T	N	I
1342802	E. Wofford	341621	994827	00/00/1954	123		313BLIN	1587	1 measurement 1969 -92.8	T	N	I
1342803	E. Wofford	341622	994806	00/00/1955	123		313BLIN	1591		T	N	I
1342804	J. Hunter Bryan Barnes (leasee)	341718	994749		120		313BLIN	1572	36 measurements 1969 to 2012 MIN -74.4 MAX -48.35	S	E	S

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1342805	W. Griffen	341559	994752		120		313BLIN	1602	1 measurement 1969 -106.3			T	N	I
1342806	D. H. Berry	341528	994836	00/00/1955	136		313BLIN	1609	37 measurements 1975 to 2012 MIN -92.46 MAX -73.8			S	E	I
1342807	Jack Hunter	341713	994736	03/00/1971	110		313BLIN	1560				C	W	S
1342901	E. McBay	341725	994515	00/00/1951	105		313BLIN	1580	8 measurements 1954 to 1962 MIN -74.65 MAX -69.9			T	G	I
1342902	R. J. Taylor	341658	994722	00/00/1938	75		313BLIN	1559				U	Abandoned.	
1342903	J. Hurst	341721	994510	00/00/1960	115		313BLIN	1571	41 measurements 1963 to 2004 MIN -87.79 MAX -56.27			T	E	U
1342904	R. Dennison	341516	994520	00/00/1951	90		313BLIN	1564	1 measurement 1969 -91.8			T	E	I
1342905	B. Gilmer	341526	994533	00/00/1959	90		313BLIN	1570				T	E	I
1342906	B. Parker	341533	994708	00/00/1968	90		313BLIN	1597	1 measurement 1969 -108.9			T	N	I
1342907	E. McBay	341705	994557	00/00/1951	105		313BLIN	1568	1 measurement 1969 -63.2			T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1342908		341519	994630				310PRMN	1574						
1343101	W. H. Glover	342150	994323		122		110ALVM	1482	1 measurement 1969 -77			T	N	I
1343102	W. H. Glover	342133	994319		124		110ALVM	1472	1 measurement 1969 -62.7			T	N	I
1343103	B. W. Stoffel	342106	994233		100		110ALVM	1459	1 measurement 1969 -45.6			T	N	I
1343104	B. W. Stoffel	342122	994233		100		110ALVM	1454	1 measurement 1969 -41.2			T	N	I
1343105	B. W. Stoffel	342126	994305		111		110ALVM	1479	1 measurement 1969 -67.4			T		I
1343201	A. W. Cunningham	342159	994120	00/00/1958	68		110ALVM	1458	7 measurements 1960 to 1975 MIN -40.46 MAX -37.43			T	E	I
1343202	A. W. Cunningham	342159	994111	00/00/1955	67		110ALVM	1450	1 measurement 1969 -40.1			T	E	I
1343203	J. Hunter	342128	994126		70		110ALVM	1450	1 measurement 1969 -38.3			T	E	I
1343204	J. Hunter	342126	994123		70		110ALVM	1450	1 measurement 1969 -41			T	E	I
Unused in 1968.														

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1343205	Quanah Country Club	342131	994123		70		110ALVM	1451	1 measurement 1969 -41.5	S	E	R
1343206	Quanah Country Club	342132	994112		100		110ALVM	1457	1 measurement 1969 -49.8	S	E	R
1343207	A. W. Cunningham	342207	994120		51		110ALVM	1438	1 measurement 1969 -29.7	S	E	I
1343208	A. W. Cunningham	342203	994055		53		110ALVM	1439	1 measurement 1969 -34.4	S	E	I
1343301		342126	993938		67		110ALVM	1435	1 measurement 1969 -36.2	T	E	I
1343302	J. C. Wilson	342047	993827		89		110ALVM	1415	1 measurement 1969 -49.8	T	N	I
1343401	Hopkins	341943	994311		110		313BLIN	1500		U		Abandoned.
1343402	B. Nichols	341742	994251		100		313BLIN	1572	1 measurement 1969 -67.5	T	N	I
1343403	B. Nichols	341742	994306		100		313BLIN	1571	1 measurement 1969 -68	T	N	I
1343404	W. D. Hopkins	341943	994356	00/00/1963	51		313BLIN	1510	1 measurement 1969 -36	T	E	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks	
1343405	W. D. Hopkins	341932	994341	00/00/1954	70		313BLIN	1530	1 measurement 1969 -56.3	T	E	I	
1343406	W. H. Outlaw	341735	994252		100		313BLIN	1567	1 measurement 1969 -62.4	T	N	I	
1343407	J. Wade	341742	994450	00/00/1966	108		313BLIN	1580	1 measurement 1966 -72	S	E	H	
1343501		341754	994117		88		313BLIN	1557	1 measurement 1969 -54.5	P	W	S	
1343502		341943	994057		53		313BLIN	1472	1 measurement 1969 -47	P	W	S	
1343503	C. Holcomb	341851	994221				313BLIN	1480		N		S	
1343504	C. Holcomb	341823	994025	00/00/1968	72		313BLIN	1561	1 measurement 1969 -68.6	P	W	S	
1343505	Mike McCane	341755	994200	00/00/1922	62	C 6 0	313BLIN	1555	1 measurement 2004 -30.4	S	E	D	MP= +0.50 feet
1343701	J. T. Valentine	341532	994401	00/00/1953	165		313BLIN	1554	1 measurement 1980 -78.2	T	E	I	
1343702	S. Bynum	341528	994310	00/00/1957	100		313BLIN	1551		N	U	Well abandoned.	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks	
1343703	S. Bynum	341523	994406	00/00/1954	100		313BLIN	1564	2 measurements 1960 to 1969 MIN -63.6 MAX -58.1			T	N	I	Yield reorated at 150 gpm.
1343704	V. Daughtry	341556	994430	00/00/1955	101		313BLIN	1566	1 measurement 1955 -50			T	E	I	Well abandoned.
1343705	T. H. Garner	341620	994344	00/00/1955	100		313BLIN	1578	1 measurement 1969 -72			T	E	I	
1343706	A. H. Stepp	341608	994414	00/00/1954	103		313BLIN	1573	1 measurement 1969 -65.3			T	N	I	Unused 1966, 1967, and 1968.
1343707	A. H. Stepp	341608	994403	00/00/1954	103		313BLIN	1568	1 measurement 1969 -63			T	N	I	Unused 1966, 1967 and 1968.
1343708	A. H. Stepp	341606	994355	00/00/1954	103		313BLIN	1572	1 measurement 1969 -67			T	N	I	
1343709	J. Milligan	341531	994422		100		313BLIN	1564	1 measurement 1969 -65			T	E	I	
1343710	V. Daughtry	341548	994435	00/00/1957	92		313BLIN	1570	1 measurement 1969 -68.9			T	E	I	
1343711	V. Daughtry	341549	994427	00/00/1946	110		313BLIN	1572	1 measurement 1969 -72.2			T	N	I	
1343712	J. E. Stepp	341538	994313	00/00/1950	150		313BLIN	1562	1 measurement 1969 -61			T	N	I	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1343713	J. E. Stepp	341543	994314		150		313BLIN	1563	18 measurements 1969 to 1989 MIN -68.44 MAX -53.29	T	N	I
1343714	J. Hurst	341557	994329		110		313BLIN	1573	1 measurement 1969 -70.5	N	I	Unused in 1968.
1343715	J. Hurst	341556	994327		110		313BLIN	1572	1 measurement 1969 -70	T	G	I
1343716	W. H. Outlaw	341716	994237		100		313BLIN	1569	1 measurement 1969 -63.1	T	E	I
1343717	T.H. Garner	341637	994344	00/00/1955	100		313BLIN	1582	1 measurement 1969 -76.1	T	E	I
1343718	T. H. Garner	341628	994344	00/00/1955	100		313BLIN	1581	1 measurement 1969 -74.6	T	E	I
1343719	B. Parker	341534	994416		100		313BLIN	1565	1 measurement 1969 -65.1	T	N	I
1343720	Justin O'Neal	341554	994316				313BLIN	1562		P	W	S
1343721	Roy Mott	341504	994425		95		313BLIN	1563		S	E	H
												Well is used for lawn and garden.
1343801	W. H. Outlaw	341719	994207		160		313BLIN	1573	1 measurement 1969 -64.3	S	E	H

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1343802	H. L. Irvin	341606	994008		29		313BLIN	1501	1 measurement 1969 -18	T	E	S
1343803	F. H. McNabb	341611	994008				313BLIN	1503	1 measurement 1969 -20	T	E	I
1343901	L. N. Berngen	341523	993951		18		313BLIN	1482	1 measurement 1969 -7.9	C	L	I
1343902	W. W. McPherson	341702	993738		35		313BLIN	1530	1 measurement 1969 -23.8	P	W	S
1343903	Echo Production	341523	993843		35		313BLIN	1473	22 measurements 1969 to 1997 MIN -24.4 MAX -10.17	S	E	U
1343904	Shell Oil Co.	341501	993858	00/00/1961	469		NOT-APPL	1459		N	U	Oil test. Top of San Angelo Sandstone at 160 feet.
1344101		342142	993543		42		110ALVM	1429	1 measurement 1969 -39.3	P	W	S
1344201	B. Hamm	342046	993419		36		313BLIN	1463	29 measurements 1969 to 2004 MIN -33.35 MAX -7.3	P	W	U
1344202	Bud Hamm	342047	993418	00/00/2001	55	C 11 0 2	313BLIN	1455	2 measurements 2004 to 2005 MIN -32.56 MAX -32.56			well destroyed Historical Observation well.
1344301	C. E. Taylor	342134	993204		140		313BLIN	1541	1 measurement 1969 -86.2	J	E	H

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1344302	Moffet Ranch	342007	993022				UNKNOWN	1397		N	U	
1344303	John L. Potts	342019	993052	00/00/1955	30		110ALVM	1410		J	E	S
1344601	W. R. McPherson	341738	993153		25		318SAGL	1405	1 measurement 1969 -17.7	J	E	S
1344602	G. O. Hendrix	341942	993215		60		318PRVR	1423	1 measurement 1969 -7.1	P	W	S
1344701	W. A. Mealer	341508	993640		30		110AVPS	1453	1 measurement 1969 -17	P	W	S
1344801	Bill Grammer	341728	993425		30		313FLRP	1443	20 measurements 1969 to 1997 MIN -14.2 MAX -5.3	P	W	U Historical observation well.
1344901	L. E. McPherson	341655	993038	00/00/1956	35		110ALVM	1368	1 measurement 1969 -12	C	L	I 5-wells; manifold system unused in 1967 and 1968.
1344902	W. R. McPherson	341643	993058		225		318SAGL	1373		N	U	Test hole.
1344903	City of Chillicothe	341518	993016	00/00/1927	39		110ALVM	1418	2 measurements 1960 to 1969 MIN -32.7 MAX -31.4	U		well capped - well unreachable
1344904	City of Chillicothe	341505	993040	00/00/1912	52		110ALVM	1410	2 measurements 1960 to 1969 MIN -35.8 MAX -21.4	U		well capped and unreachable

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1344905	Frank Berngen	341515	993200	02/00/1957	47		110ALVM	1388	53 measurements 1957 to 2012 MIN -23.46 MAX -11.14	S	E	I
1344906		341632	993009		49		313BLIN	1382	6 measurements 1956 to 1963 MIN -16.55 MAX -11.67	I		
1344907	City of Chillicothe	341523	993058	10/03/1996	46		313BLIN	1390	1 measurement 1996 -22	S	E	P
												Measured yield 100 GPM with 17 feet drawdown after pumping 36 hours in 1996. Specific capacity 5.88 GPM/ft. Pumping level 39 feet. Cemented from 0 to 10 feet.
1345101	M. H. Henderson	342209	993000		78		110ALVM	1466	1 measurement 1969 -53	S	E	I
1345401	Joy Moffett	341807	992914		23		318SAGL	1374	20 measurements 1969 to 1997 MIN -14.01 MAX -9.88	P	W	H
1345407	Ms. Joy Angel George Moffett Estate	341959	992921		40		318SAGL	1400	1 measurement 1989 -11.5	S	E	H
1350101	B. Edmonds	341436	995216	00/00/1956	120		313BLIN	1590		T	E	I
1350301	E. Wofford	341426	994532	00/00/1964	85		313BLIN	1553	1 measurement 1969 -44.6	T	E	I
1350302	K. Dennison	341453	994517		105		313BLIN	1562	1 measurement 1969 -62.1	T	E	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1350303	K. Dennison	341457	994518		105		313BLIN	1562	1 measurement 1969 -61.3			T	E	I
1350601	L. Taylor	341153	994637	00/00/1950	81		313BLIN	1610	1 measurement 1950 -72			P	W	S
1351101	J. W. Landers	341449	994456	00/00/1956	107		313BLIN	1560	1 measurement 1956 -57			T	N	I
1351102	E. B. Smith	341412	994413		30		313BLIN	1540	1 measurement 1969 -25.7			P	W	S
1351201	Conley Est.	341238	994041		30		313BLIN	1520	1 measurement 1969 -23.8			P	W	S
1351301	W. A. Melear	341452	993742	00/00/1965	40		110AVBL	1468	1 measurement 1965 -22					S
1351401	Robert Dake	341149	994433		30		313BLIN	1574	4 measurements 1969 to 2009 MIN -22.8 MAX -7			P	W	S
1351601	C. R. Hargeshimer	341152	993847		131		313BLIN	1518	1 measurement 1969 -83.9			P	W	S
1351701	J. Hurst	340835	994239		60		318SAGL	1470	1 measurement 1969 -48.4			P	W	S
1351801	J. Hurst	340843	994052		58		318SAGL	1443	20 measurements 1969 to 1997 MIN -50.69 MAX -13.93			P	W	S
									Historical observation well.					

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks	
1351901	J. D. Gilliland	340909	993806	00/00/1889	20		318SAGL	1423	1 measurement 1969 -11.3	J	E	H	
1352101	Edward Turner	341401	993638		35		110ALVM	1451	28 measurements 1969 to 2005 MIN -27.58 MAX -11.28	N	U	Historical well	
1352201	E. M. Lance	341337	993320		30		110ALVM	1418	1 measurement 1969 -22.1	P	W	S	
1352202	E. M. Lance	341322	993309	00/00/1955	54		110ALVM	1418	1 measurement 1969 -24.2	T	N	I	Unused in 1967 and 1968.
1352301	City of Chillicothe	341455	993033	00/00/1932	58		110ALVM	1424	1 measurement 1969 -29.5	S	E	P	Field conductance 680.
1352302	A. Higgenbathum	341311	993006	00/00/1954	67		110ALVM	1458	2 measurements 1960 to 1969 MIN -35.7 MAX -19.6	T	N	I	
1352303	E. E. Jackson	341256	993006	00/00/1955	70		110ALVM	1458	2 measurements 1960 to 1969 MIN -27.7 MAX -26.1	T	N	I	
1352304	L. G. Emerson	341241	993136	00/00/1954	48		110ALVM	1430	2 measurements 1960 to 1969 MIN -17.9 MAX -15.3	T	N	I	Unused in 1967 and 1968.
1352305	L. G. Emerson	341240	993137	00/00/1958	48		110ALVM	1430	1 measurement 1969 -17.9	T	N	I	Unused in 1967 and 1968.
1352306	E. E. Jackson	341248	993003		70		110ALVM	1463	1 measurement 1969 -32.4	T	N	I	

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1352307	G. G. Norton	341413	993151	00/00/1961	42		110ALVM	1397	1 measurement 1969 -17.9	T	N	I
1352308	R. Sims	341347	993007	00/00/1963	59		110ALVM	1438	1 measurement 1969 -29.9	T	N	I
1352309	A. Higgenbathaum	341305	993009		67		110ALVM	1453		S	E	I
1352310	H. V. Tabor	341300	993054				UNKNOWN	1433		N	S	Field conductance 620.
1352311	R. H. Burrell	341443	993151		50		110ALVM	1391	1 measurement 1969 -23.5	T	N	I
1352312	North Texas Alfalfa Mill Co.	341440	993133		50		110ALVM	1390	1 measurement 1969 -20.5	T		U
1352313	North Texas Alfalfa Mill Co.	341432	993128		49		110ALVM	1391	1 measurement 1969 -23.9	T		I
1352314	J. McMichael	341402	993006	00/00/1957	70		110ALVM	1442	1 measurement 1969 -30	T	N	I
1352315	T. L. Ward	341345	993136				UNKNOWN	1391		N		S
1352316	G. G. Norton	341358	993145				UNKNOWN	1393		N		S

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1352317	City of Chillicothe	341456	993031	08/20/1991	57	C 24 S 11 C 11	0 21 21 41 41 51	110ALVM	1421 1991 -26.1	S E P		Owners well #3. Gravel packed from 15 to 51 feet. Spigot @ wellhead.
1352401	E. M. Bellamly	341130	993548		45		318SAGL	1468	1 measurement 1969 -16.2	P W S		
1352501	J. R. Young	341013	993304	00/00/1955	58		110ALVM	1445	1 measurement 1969 -22.1	T N I		
1352601	L. Wright	341229	993142	00/00/1957	49		110ALVM	1420	2 measurements 1960 to 1969 MIN -12.3 MAX -11.2	T N I		
1352602	L. Wright	341224	993141	00/00/1959	48		110ALVM	1415	2 measurements 1960 to 1969 MIN -8 MAX -7.1	T N I		
1352603	L. Wright	341218	993139	00/00/1953	55		110ALVM	1420	2 measurements 1960 to 1969 MIN -15.3 MAX -12.6	T N I		
1352604	T. Campbell	341152	993129	00/00/1954	56		110ALVM	1441	2 measurements 1960 to 1969 MIN -17.7 MAX -16.3	T E I		Field conductance 610.
1352605	Texas A&M Exp. Sta.	341141	993143	03/01/1954	60		110ALVM	1434	43 measurements 1960 to 2012 MIN -20.56 MAX -3.35	T N I		
1352606	Meharg Brothers	341115	993115	00/00/1955	47		313BLIN	1452	1 measurement 1955 -17	U		Well abandoned.
1352607	Merharg Brothers	341115	993115	00/00/1955	45		313BLIN	1452	1 measurement 1955 -16	U		Well abandoned.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks	
1352608	Texas A&M Exp. Sta.	341115	993115	00/00/1954	42		313BLIN	1452		U		Well abandoned.	
1352609	E. L. Meharg	341100	993101	00/00/1955	60		110ALVM	1466	2 measurements 1960 to 1969 MIN -22 MAX -18.2	T	N	I	Unused in 1967 and 1968.
1352610	A. J. Lambert	341118	993030	00/00/1959	65		110ALVM	1465	1 measurement 1969 -23.6	T	N	I	
1352611	E. L. Meharg	341024	993121	00/00/1957	60		110ALVM	1483	2 measurements 1960 to 1969 MIN -36 MAX -30.6	T		I	Unused in 1967 and 1968.
1352612	H. L. Walser	341010	993224	00/00/1955	58		110ALVM	1464	2 measurements 1960 to 1969 MIN -25.1 MAX -21.4	T	N	I	
1352613	D. Sills	341224	993131		50		110ALVM	1420	1 measurement 1969 -12	T	N	I	
1352614	Texas A & M Exp. Sta.	341146	993156	00/00/1966	57		110ALVM	1428	1 measurement 1969 -12.9	T	N	I	
1352615	A. J. Lambert	341132	993028		75		110ALVM	1469	1 measurement 1969 -25	T	N	U	Unused. Reported yield 275 gpm and 1600 ppm chloride.
1352616	H. J. Tabor Est.	341220	993033		60		110ALVM	1459	1 measurement 1969 -25.9	T	N	I	
1352617	Texas Agricultural Experiment Station	341141	993106	00/00/1954	44	C 7 0 37	110ALVM	1450		J	E	H	
						S 7 37 42							
						C 7 42 44							

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1352618	Texas A&M Chillicothe Research Ctr.	341139	993143	07/22/1991	60		110ALVM	1433				S	E	H
1352701	V. M. Martten	340908	993550		35		318SAGL	1495	1 measurement 1969 -22.3			T	E	H
1352801	C. Wall	340930	993414	00/00/1955	58		110ALVM	1465	2 measurements 1960 to 1969 MIN -34.2 MAX -25.4			T	E	I
1352802	Roger McLennan	340920	993420	00/00/1955	64		110ALVM	1464	42 measurements 1963 to 2012 MIN -43.84 MAX -16.2			S	E	I
1352803	B. C. Gibson	340916	993417	00/00/1955	60		110ALVM	1463	1 measurement 1969 -36.4			T	E	I
1352805	O. Wofford	340844	993429	00/00/1957	58		110ALVM	1466	2 measurements 1960 to 1969 MIN -39 MAX -31.2			T	E	I
1352806	O. Wofford	340845	993345	00/00/1956	60		110ALVM	1469	1 measurement 1960 -30.7			T	N	U Abandoned.
1352807	L. B. Wofford	340831	993435	00/00/1955	57		110ALVM	1467	1 measurement 1969 -35.5			T	N	I
1352808	L. B. Wofford	340814	993427	00/00/1956	56		110ALVM	1466	2 measurements 1960 to 1969 MIN -34 MAX -30.4			T	E	I
1352809	L. B. Wofford	340801	993425	00/00/1955	55		110ALVM	1467	2 measurements 1960 to 1969 MIN -35.3 MAX -33.3			S	E	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1352810	A. R. Rogers	340754	993430	00/00/1954	54		110ALVM	1468	2 measurements 1960 to 1969 MIN -34.4 MAX -30.8			T	E	I
1352811	L. B. Wofford	340823	993427		55		110ALVM	1466	1 measurement 1969 -34.5			T	E	I
1352812	O. T. Holmes	340736	993445	00/00/1957	54		110ALVM	1462	2 measurements 1960 to 1969 MIN -36.4 MAX -33.9			T	E	I
1352813	Dodson Est.	340732	993246		68		110ALVM	1492	1 measurement 1969 -46.4			T	E	I
1352814	Dodson Est.	340731	993253		81		110ALVM	1494	1 measurement 1969 -46.9			T	E	I
1352815	Dodson Est.	340742	993316		80		110ALVM	1491	1 measurement 1969 -44.6			T	E	I
1352816	Dodson Est.	340756	993316		68		110ALVM	1492	1 measurement 1969 -42.4			T	E	I
1352817	Dodson Est.	340750	993318		58		110ALVM	1493	1 measurement 1969 -43			T	E	I
1352818	Dodson Est.	340755	993425		48		110ALVM	1468	1 measurement 1969 -34			T	E	I
1352819	B. C. Gibson	340924	993427		69		110ALVM	1463	1 measurement 1969 -36			T	E	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1352820	O. Wafford	340906	993426		58		110ALVM	1466	1 measurement 1969 -37.8	T	E	I
1352821	G. Caldwell	340855	993432	00/00/1955	60		110ALVM	1466	1 measurement 1969 -38.8	T	E	I
1352822	S. Grange	340904	993232		70		110ALVM	1486	1 measurement 1969 -38.2	T	N	I
1352823	S. Grange	340926	993247		62		110ALVM	1473	1 measurement 1969 -25	T	N	I
1352824	S. Grange	340921	993233		61		110ALVM	1479	1 measurement 1969 -29.7	T	N	I
1352825	B. Green	340935	993416	00/00/1959	70		110ALVM	1461	1 measurement 1969 -34.8	T	E	I
1352826	B. Green	340943	993408	00/00/1964	55		110ALVM	1456	1 measurement 1969 -31.4	T	N	I
1352827	B. Green	340949	993408	00/00/1964	52		110ALVM	1453	1 measurement 1969 -26.1	T	E	I
1352901	L. J. Kirkpatrick	340953	993221	00/00/1953	54		110ALVM	1468	2 measurements 1960 to 1969 MIN -26.5 MAX -22.6	T	N	I
1352902	L. J. Kirkpatrick	340948	993217	00/00/1959	53		110ALVM	1468	1 measurement 1969 -26	T	N	I

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels			Lift	Power Use	Remarks
1352903	A. H. Reynolds	340919	993046	00/00/1958	50		110ALVM	1479	38 measurements 1960 to 2012 MIN -28.15 MAX -20.2			T	N	I
1352904	A. H. Reynolds	340911	993051	00/00/1959	52		110ALVM	1481	1 measurement 1960 -26.9			T	N	I
1352905	J. B. Barnfield	340900	993044	00/00/1957	34		110ALVM	1460	8 measurements 1957 to 1975 MIN -25.64 MAX -11			T	N	I
1352906	J. B. Barnfield	340857	993051	00/00/1959	35		110ALVM	1462	1 measurement 1969 -15			T	N	I
1352907	J. B. Barnfield	340902	993058	00/00/1957	36		313BLIN	1488	1 measurement 1957 -10			T	N	I
1352908	L. J. Kirkpatrick	340928	993228	00/00/1952	55		110ALVM	1476	1 measurement 1969 -27.6			T	N	I
1352909	R. R. Boucher	340842	993006				UNKNOWN	1380				N	U	
1352910	L. J. Kirkpatrick	340935	993230	00/00/1969	53		110ALVM	1470	1 measurement 1969 -22.1			T	N	I
1353101	J. McMichael	341431	992947	00/00/1957	82		110ALVM	1443	1 measurement 1969 -39.8			T	N	I
1353102	City of Chillicothe Well #4	341421	992947	00/00/1953	86		110ALVM	1451	42 measurements 1953 to 2012 MIN -60.24 MAX -38			S	E	P
														Observation well. Owners well #5.

State Well	Owner	Latitude	Longitude	Date Drilled	Well Depth	Casing Info.	Aquifer	Elevation	Water Levels	Lift	Power Use	Remarks
1353103	A. Higgenbothaum	341316	992941	00/00/1954	67		110ALVM	1461	2 measurements 1960 to 1969 MIN -35.5 MAX -27.4	T	N	I
1353104	G. Gatewood	341302	992943	00/00/1955	68		313BLIN	1463	1 measurement 1960 -30	T	N	I
1353105	Thirsty Water Systems	341306	992942	00/00/1968	81		110ALVM	1462	1 measurement 1968 -42	S	E	S
1353106	J. McMichael	341440	992951	00/00/1953	84		110ALVM	1442	1 measurement 1969 -38.4	T	E	I
1353107	City of Chillicothe #2	341420	992941	03/03/1973	84	C 13 0 74 S 13 74 84	110ALVM	1448		N		U
1353401	G. Mertink	341050	992939		44		318SAGL	1491	1 measurement 1969 -32.9	P	W	H
1353701	I. A. Boyles	340909	992914		30		110AVPS	1360	1 measurement 1969 -5.8	P	H	H
1359101	J. E. Long	340655	994411		50		318SAGL	1472	1 measurement 1969 -23.9	J	E	H
1360301	Dodson	340715	993156		30		318SAGL	1419	1 measurement 1969 -11.9	J	E	H

Aquifers:

100ALVM	ALLUVIUM
110ALVM	QUATERNARY ALLUVIUM
110AVBL	ALLUVIUM AND BLAINE GYPSUM
110AVPS	ALLUVIUM AND PERMIAN SYSTEM
110QWSD	WINDBLOWN SAND, QUATERNARY
310PRMN	PERMIAN SYSTEM
313BLIN	BLAINE FORMATION
313FLRP	FLOWERPOT SHALE
318PRVR	PEASE RIVER GROUP
318SAGL	SAN ANGELO FORMATION
NOT-APPL	AQUIFER CODE IS NOT APPLICABLE TO THIS WELL
UNKNOWN	AQUIFER NOT ABLE TO BE DETERMINED